

2.

Enable debug errors in WordPress

Article Number: 1290 | Rating: Unrated | Last Updated: Wed, Nov 18, 2020 at 10:22 PM

Setting `WP_DEBUG` to `true` in your `wp-config.php` will enable the `debug` mode throughout WordPress. This will cause all PHP errors, warnings, and notices to be displayed. It's highly recommended that `WP_DEBUG` and `WP_DEBUG_LOG` be set to `true` during development to catch errors that might not otherwise show when set to `false`. This is especially useful during the development of custom modules as the css/js for the current layout will be refreshed on each page load instead of cached as it is by default. Edit the `wp-config.php` for your website. Change

```
define('WP_DEBUG', false);
```

to

```
define('WP_DEBUG', true);
```

On the following line, type

```
define('WP_DEBUG_LOG', true);
```

Save your changes. Using an Internet browser, visit your site to trigger the debugging log. Using your hosting account's editor, open `/wp-content/debug.log`. Review the contents of the debug log to identify the problem to a specific plugin, theme, or configuration option that might be causing a problem. **Note:** For **Managed WordPress Pro** plans, setting `WP_DEBUG` to `true` will completely disable the CDN (content delivery network) to help with troubleshooting the website. You can re-enable the CDN by setting `WP_DEBUG` to `false`. Once you are done with development or troubleshooting you should set `WP_DEBUG` and `WP_DEBUG_LOG` to `false`, then remove the `debug.log` file.

Posted - Tue, Nov 17, 2020 at 8:38 PM.

Online URL: <https://www.heartinternet.uk/support/article/enable-debug-errors-in-wordpress.html>